Modulo Player Standard

REF: MP-STD-1, MP-STD-2, MP-STD-3, MP-STD-4





The cost-effective solution tailored for permanent installations

Modulo Player Standard was specifically designed to meet the needs and budgets of fixed installations such as museum exhibitions, or permanent shows. Reliable and user-friendly, Modulo Player Standard comes with a well-balanced hardware configuration that can be customized with several options.

Hardware specifications (Hardware Revision 2024-1)

Operating System: Windows 11 CBB x64

RAM: 2 x 8GB DDR4

Storage: 1 x SSD 250GB OS / DATA SSD PCIE NVMe 500GB

Processor: Intel® Core™ 7 **LAN:** 1 x RJ45 1000Mbps

Audio: 8 channels (mini jack 3.5mm asymmetrical)

USB: 2 x USB 3.1 (Gen 2) + 2 x USB 2.0 Graphics Card: AMD Radeon Pro

Power Supply: 100-240 VAC / 50-60Hz / 750W Average power consumption (high load): 300W

Versions

Options

Reference	Physical outputs	Outputs
MP-STD-1	4 x mini DP 1.4	1 output up to WQXGA ^[1]
MP-STD-2	4 x mini DP 1.4	2 outputs up to WQXGA ^[1]
MP-STD-3	4 x DP 1.4	3 outputs up to WQXGA ^[1]
MP-STD-4	4 x DP 1.4	4 outputs up to WQXGA ^[1] or 1 output up to 4K ^[2]
		⁽¹⁾ 2560 x160

(2) 4096x2160

Reference		Reference	1
TC-PCIE-R	Time code reader card - Pcie	TC-USB-R	Time code reader card - USB
TC-PCIE-RW	Time code reader generator card - Pcie		

Related products, software, and tools

Auto-Calibration: Multi-projector auto-calibration module for planar, curved, and dome surfaces

Modulo Player Lite: License for offline programming (requires Modulo Pi key)

Modulo Panel: Companion app to host and use your custom user panels on Mac, PC, Android or iOS devices

Modulo Shortcut: Companion app to take control of your Keynote or PowerPoint presentations

Modulo Sync: Companion app to automatically transfer media to one or several Modulo Player servers Modulo Wing: Companion app to access all your playlists and tasks on PC, Mac, Android or iOS devices







Software specifications

Remote Control Software

Free remote application (Mac/PC) to control any number of networked Modulo Player

Unlimited number of playlists and cues Cues can be triggered manually or automatically 10 layers per cue High flexibility allowing last-minute changes

Settings per Layer

Position, scale, rotation, opacity, color, fade in/out Advanced colorimetry, crop, progressive mask, clip, keyframed animation

Database of 2D GPU effects

Support for interactive shader format

Movie: In/out time, loop mode, speed change with frame blending

Synchronization

Synchronize any number of networked Modulo Player with an easy master/slave set-up

Synchronization with MTC or LTC timecode (optional)

Outputs tools

Warping grid (keystone or curve), advanced soft edge, mask, test patterns generator, advanced color adjustment Exclusive X-Map function for complex video mapping LED Pixel mapper (Art-Net)

Low-latency Live Mixer

Dedicated multi-user remote application (Mac/PC) Live Preview/Program/Confidence screens Unlimited number of destination and mix engines Preset & Quickset Mask & Keying

Transition effects: cut, fade, flying,... Cut & Take buttons

Sources: Workspace, NDI

Complimentary

EU power cord

1 x active DisplayPort(1) to HDMI adapter per output Modulo Player Remote: PC/Mac remote control software Modulo Wing: PC/Mac application to see your playlists and

launch tasks. Also available on iOS and Android

Modulo Panel: PC/Mac application to host your custom user panels

[1] MiniDP for MP-STD-1 & MP-STD-2

Warranty

2-year return-to-base

Medias

MPEG-2 (4:2:2), H264 (4:2:0) with multiplexed audio embedded

HAP, HAP Alpha, HAP Q, HAP R support

Apple ProRes 10bit support

NotchLC 10bit support

Multichannel audio file (wav,aiff)

Still images: png, jpg, tiff

Other media: Text, scrolling text, counter, countdown, clock, web page

Interactivity

Easily control the parameters of your media - including position, rotation, opacity, color,... - using external devices (OSC, Art-Net, MIDI, TCP/IP rotary encoder)

Show Control

Create, control, and play automated tasks for a wide number of preloaded external devices including videoprojectors, matrix switchers, video processors

The devices' main parameters are available in our extensive library to ensure fast and easy control through Modulo Player

Trigger tasks from specific devices such as Calendar, MIDI, OSC, GPIO, Art-Net and DMX

Possibility to control Modulo Player with ASCII TCP/IP command or WebSocket with an extensive protocol

User Panel

Easily create different user panels: Drag & drop tasks, add buttons, texts, images, web pages, etc.

User panels are compatible with PC, Mac, iOS, and Android devices

Hardware Control & Monitoring

Set up and monitor your hardware Force EDIDs using embedded EDID generator Set up multi-screen configurations VNC integrated

Physical specifications

Frame	19-inch rad		
Product	W	Н	D
Dimensions without handles	435 mm 17.13"	175 mm 6,89"	470 mm 18,5"
Dimensions with handles	482 mm 18,97"	175 mm 6,89"	515 mm 20,28"
Weight	~ 17 kg	~ 38 lbs	
Shipping	W	Н	D
Dimensions	565 mm 22,24"	300 mm 11,81"	600 mm 23,62"
Weight	~ 20 kg	~ 45 lbs	



